PHYTOCHEMISTRY

THE INTERNATIONAL JOURNAL
OF PLANT BIOCHEMISTRY
AND MOLECULAR BIOLOGY

Editor-in-Chief

J. B. HARBORNE F.R.S.

Associate Editor (North America)

N. G. LEWIS

Executive Editor

T. A. SMITH

Volume 46 Contents, Author Index and
Subject Index 1997

PERGAMON

PHYTOCHEMISTRY

The International Journal of Plant Biochemistry and Molecular Biology

Editor-in-Chief

J. B. HARBORNE F.R.S.: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

Associate Editor (North America)

N. G. LEWIS: Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.

Executive Editor

T. A. SMITH: Long Ashton Research Station, Bristol BS18 9AF, U.K.

Associate Editors

L. J. GOAD: School of Biological Sciences, Liverpool University, Liverpool L69 7ZB, U.K.

P. J. HOLLOWAY: Long Ashton Research Station, Bristol BS18 9AF, U.K.

P. J. LEA (Review Editor): Division of Biological Science, University of Lancaster, Lancaster LA1 4YQ, U.K.

D. R. THRELFALL: Dept of Biological Sciences, School of Life Sciences, University of Hull, Hull HU6 7RX, U.K.

C. A. WILLIAMS: Plant Science Laboratories, The University, Whiteknights, Reading RG6 2AS, Berks., U.K.

EDITORIAL BOARD—1997

Y. Asakawa:	Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yameshiro-cho, 770 Tokushima, Japan.
E. A. Bell:	Pharmacology Group, King's College, Manresa Road, London SW3 6LX, U.K.
G. P. Bolwell:	School of Biological Sciences, Royal Holloway, University of London, Egham, Surrey TW20 0EX, U.K.
E. G. Brown:	Biochemistry Group, School of Biological Sciences, University of Wales Swansea, Singleton Park, Swansea SA2 8PP, U.K.
E. E. Conn:	Dept of Biochemistry and Biophysics, University of California, Davis, CA 95616, U.S.A.
G. Cordell:	Program for Collaborative Research in the Pharmaceutical Sciences, College of Pharmacy, University of Illinois at Chicago, IL 60612, U.S.A.
R. Croteau:	Institute of Biological Chemistry, Washington State University, Pullman, WA 99164-6340, U.S.A.
V. De Luca:	Dept de sciences biologiques, Institut de recherche en biologie vegetale, Universite de Montreal, 4101 est rue Sherbrooke, Montreal, Quebec, Canada H1X 2B2.
B. Ellis:	Dept of Plant Science, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
N. H. Fischer:	Dept of Chemistry, Louisiana State University, Baton Rouge, LA 70803, U.S.A.
L. Fowden:	Rothamsted Experimental Station, Harpenden, Herts., U.K.
O. R. Gottlieb:	Instituto de Quimica, Universidade de São Paulo, C.P. 20780, São Paulo 01498, Brazil.
J. L. Harwood:	Dept of Biochemistry, University of Wales, P.O. Box 903, Cardiff CF1 1ST, U.K.
W. Herz:	Dept of Chemistry, The Florida State University, Tallahassee, FL 32306, U.S.A.
K. Hostettmann:	Institut de Pharmacognosie et Phytochemie, B.E.P., 1015 Dorigny-Lausanne, Switzerland.
T. J. Mabry:	Dept of Botany, University of Texas at Austin, TX 78713, U.S.A.
P. Mazliak:	Lab. de Physiologie Cellulaire, Université Pierre et Marie Curie, 75005 Paris, France.
B. V. Milborrow:	School of Biochemistry, University of NSW, P.O. Box 1, Kensington, NSW 2033, Australia.
T. Okuda:	Kitakata 3-4-25, Okayama City 700, Japan.
J. D. Phillipson:	School of Pharmacy, University of London, 29/39 Brunswick Square, London WC1N 1AX, U.K.
J. E. Poulton:	Dept of Botany, University of Iowa, Iowa City, IA 52242, U.S.A.
U. Sankawa:	Faculty of Pharmaceutical Sciences, Dept of Pharmacognosy, Toyama Medical and Pharmaceutical University, 2635 Sugitani, Toyama 930-10, Japan.
D. Strack:	Institut für Pflanzenbiochemie, Abt. Sekundarstoffwechsel, Weinberg 3, D-06120 Halle (Saale), Germany.
G. H. N. Towers:	Dept of Botany, University of British Columbia, 2357 Main Hall, Vancouver, B.C., Canada V6T 1Z4.
H. Wagner:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.
P. G. Waterman:	Phytochemistry Research Laboratories, Dept of Pharmacy, University of Strathclyde, 204 George Street, Glasgow G1 1XW, U.K.
M. H. Zenk:	Inst. für Pharmazeutische Biologie, Karlstrasse 29, 8 München 2, Germany.

All manuscripts and contributions should be submitted to either J. B. HARBORNE at Reading or N. G. LEWIS at Pullman. Authors are earnestly requested to consult the latest 'Instructions to Authors', which are published in Vol. 44, No. 1 (copies of these instructions are available from the Reading office) and the 'Aims and Scope' of the journal (see inside back cover). Review articles are welcomed, but intending Authors should send an outline to P. J. LEA before preparing their manuscripts. Books for review should be sent to J. B. HARBORNE.

This journal has been designated an official organ of the 'The Phytochemical Society of Europe' and 'The Phytochemical Society of North America' and Society announcements will appear at regular intervals. Reduced subscription rates are available to members of both Societies (details available from Society offices).

Publishing and Advertising Offices: Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, U.K.

Annual Subscription Information: Published semi-monthly, two issues per month, January to December (three volumes 1998).

Annual Institutional Subscription Rates 1998: Europe, The CIS and Japan 4873.00 Dutch Guilders. All other countries US$2801.00. Associated Personal Subscription rates are available on request for those whose institutions are library subscribers. Dutch Guilder prices exclude VAT. Non-VAT registered customers in the European Community will be charged the appropriate VAT in addition to the price listed. Prices include postage and insurance and are subject to change without notice.

Any enquiry relating to subscriptions should be sent to: **The Americas:** Elsevier Science, Customer Support Department, P.O. Box 945, New York, NY, 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com]. **Japan:** Elsevier Science, Customer Support Department, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106, Japan [Tel: (+3) 5561-5033. Fax: (+3) 5561-5047. E-mail: info@elsevier.co.jp]. **Asia Pacific (*excluding Japan*):** Elsevier Science (Singapore) Pte Ltd, No. 1 Temasek Avenue, 17-01 Millennia Tower, Singapore 039192. [Tel: (+65) 434-3727. Fax: (+65) 337-2230. E-mail: asiainfo@elsevier.com.sg]. **Rest of the World:** Elsevier Science, Customer Service Department, P.O. Box 211, 1001 AE Amsterdam, The Netherlands. [Tel: (+31) 20-485-3757. Fax: (+31) 20-485-3432. E-mail: nlinfo-f@elsevier.nl]. *Microform back issues*: back issues of all previously published volumes in both hard copy and on microform, are available direct from Elsevier Science Offices (Oxford, New York).

For queries relating to the general submission of articles (including electronic text and artwork) and the status of accepted manuscripts, please contact the Author Service Department at Elsevier Science Ltd. E-mail: authors@elsevier.co.uk; Fax: +44 (0) 1865 843905; Tel.: +44 (0) 1865 843900.

Copyright © 1998 Elsevier Science Ltd

PERIODICALS POSTAGE PAID AT RAHWAY, NJ AND ADDITIONAL ENTRY POINTS. *Phytochemistry* **(ISSN 0031-9422)** is published **semi-monthly, two issues per month, January to December in three volumes**, by Elsevier Science Ltd, The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB U.K. The annual subscription in the U.S.A. is **$2801**. *Phytochemistry* is distributed by Mercury Airfreight International Ltd, 10 Camptown Road, Irvington, NJ 07111-1105. Postmaster: please send address corrections to *Phytochemistry*, c/o Elsevier Science, Regional Sales Office, Customer Support Department, 655 Avenue of the Americas, New York, NY 10010, U.S.A. [Tel: (+1) 212-633-3730 / 1-888 4ES-INFO. Fax: (+1) 212-633-3680. E-mail: usinfo-f@elsevier.com].

CONTENTS OF VOLUME 46

Number 1

Announcement ix

Graphical Abstracts xi

Growth and Metabolism

Elicitor-induced extensin insolubilization in suspension-cultured tomato cells — 1 M. D. Brownleader, P. E. McNally, G. E. A. Davies, M. Trevan and P. M. Dey

Stimulatory effect of DIMBOA on NADH oxidation catalysed by horseradish peroxidase — 11 M. C. Rojas G, F. Pérez and L. González

Myo-inositol dehydrogenase from the acido- and thermophilic red alga *Galdieria sulphuraria* — 17 R. Stein, C. Schnarrenberger and W. Gross

Diafiltration in the presence of ascorbate in the purification of mushroom tyrosinase — 21 A. Rescigno, F. Sollai, E. Sanjust, A. C. Rinaldi, N. Curreli and A. Rinaldi

Varietal differences and chromosome locations of multiple isoforms of starch branching enzyme in wheat endosperm — 23 T. Nagamine, H. Yoshida and K. Komae

Purification of UDP-glucose: 4-hydroxybenzoate glucosyl-transferase from cell cultures of *Lithospermum erythrorhizon* — 27 S.-M. Li, Z.-X. Wang and L. Heide

Purification of limonoid glucosyltransferase from navel orange albedo tissues — 33 S. Hasegawa, C. G. Suhayda, W.-J. Hsu and G. H. Robertson

Purification and characterization of glutamate decarboxylase from cowpea — 39 B. S. Johnson, N. K. Singh, J. H. Cherry and R. D. Locy

Interaction of 5-hydroxymethyl-furfural with hydroxymethylbilane synthase — 45 J. Wübert, U. Oster and W. Rüdiger

Identification of *myo*-inositol as a major carbohydrate in kiwifruit, *Actinidia deliciosa* — 51 R. L. Bieleski, C. J. Clark and K. U. Klages

Putrescine accumulation in banana fruit with ripening during storage — 57 Y. Takeda, K.-I. Yoza, Y. Nogata, K.-I. Kusumoto, A. G. J. Voragen and H. Ohta

Modifications to polyamines provoked by short-chain saturated fatty acids in *Cicer arietinum* seeds — 61 M. Del Carmen Gomez-Jimenez, F. Chibi, I. Sanchez-Calle and A. Matilla

Methyl-limonate induces a restricted chaos in plant mitochondrial membranes — 65 C. Balland, R. Naigre, P. Kalck, M. Tissut and P. Ravanel

Ecological Biochemistry

Inflorescence odours of *Amorphophallus* and *Pseudodracontium* (Araceae) — 71 G. C. Kite and W. L. A. Hetterschieid

Extracted fatty acids from *Gossypium hirsutum* stimulatory to the seed-rotting fungus, *Pythium ultimum* — 77 T. R. Ruttledge and E. B. Nelson

Effects of environment on the composition of epicuticular wax esters from kale and swede — 83 T. Shepherd, G. W. Robertson, D. W. Griffiths and A. N. E. Birch

Antimicrobial compounds from *Ceanothus americanus* against oral pathogens — 97 X.-C. Li, L. Cai and C. D. Wu

24(24^1)[*Z*]-Dehydroamarasterone B, a phytoecdysteroid from seeds of *Leuzea carthamoides* — 103 U. A. Baltayev, L. Dinan, J.-P. Girault and R. Lafont

Biosynthesis

Incorporation of phenethylisoquinolines into colchicine in isolated seeds of *Colchicum autumnale* 107 A. Nasreen, H. Gundlach and M. H. Zenk

Biosynthesis of nornicotine in root cultures of *Nicotiana alata* does not involve oxidation at C-5′ of nicotine 117 M. Botte, F. Mabon, M. Le Mouillour and R. J. Robins

Cell Culture and Biotechnology

An epitetrathiodioxopiperazine related to emestrin from *Emericella foveolata* 123 M. Ooike, K. Nozawa and K.-I. Kawai

Production of ginkgolide and bilobalide in transformed and gametophyte derived cell cultures of *Ginkgo biloba* 127 D. Laurain, J. Trémouillaux-Guiller, J.-C. Chénieux and T. A. van Beek

Hydroxylation of dehydroabietic acid by *Fusarium* species 131 A. A. Tapia, M. D. Vallejo, S. C. Gouiric, G. E. Feresin, P. C. Rossomando and D. A. Bustos

Variation in vinblastine production by *Catharanthus roseus* during *in vivo* and *in vitro* differentiation 135 A. Datta and P. S. Srivastava

Chemotaxonomy

Isolation and characterization of *Dioclea altissima* var. *megacarpa* seed lectin 139 R. A. Moreira, A. C. O. Monteiro, A. C. G. Horta, J. T. A. Oliveira and B. S. Cavada

Sesquiterpenoids from the three Japanese liverworts *Lejeunea aquatica*, *L. flava* and *L. japonica* 145 M. Toyota, H. Koyama and Y. Asakawa

Bioactive Plant Products

Bioactive monoterpene glycosides from *Erigeron linifolius* 151 C. Y. Ragasa, J. A. Rideout, J. O. Sy, D. Alcachupas, V. M. L. Inte and J. C. Coll

Plant Chemistry

A keto fatty acid from *Amoora rohituka* seed oil 155 C. D. Daulatabad and Smt. A. M. Jamkhandi

Sesquiterpene hydroxylactone from *Lactarius subvellereus* 157 J. Zhang and X. Z. Feng

Diterpenes and sesquiterpenes from *Mikania banisteriae* 161 G. O. Lobitz, G. Tamayo-Castillo and I. Merfort

Peniankerine, an 18-norclerodane diterpenoid from the stem bark of *Penianthus zenkeri* 165 P. Tane, H. K. Wabo, J. F. Ayafor and O. Sterner

Cycloadducts of terpene quinones from *Taiwania cryptomerioides* 169 W.-H. Lin, J.-M. Fang and Y.-S. Cheng

A stilbene xyloside from *Holodiscus discolor* bark 175 R. F. Gonzalez-Laredo, J. Chaidez-Gonzalez, A. A. Ahmed and J. J. Karchesy

NMR assignment of brazilein 177 D. S. Kim, N.-I. Baek, S. R. Oh, K. Y. Jung, I. S. Lee and H.-K. Lee

A taxane epoxide from *Taxus wallichiana* 179 L. Barboni, C. Lambertucci, G. Appendino and B. Gabetta

Alkaloids from *Cassytha filiformis* 181 Y.-C. Wu, Y.-C. Chao, F.-R. Chang and Y.-Y. Chen

Number 2

Graphical Abstracts ix

Growth and Metabolism

Major proteins of yam bean tubers 185 A. V. Gomes, G. Sirju-Charran and J. A. Barnes

Interactions between Cu(II), Mn(II) and salicylhydroxamic acid in determination of algal peroxidase activity 195 H. G. Weger

A xyloglucan in etiolated seedlings of *Pinus radiata* 203 I. G. Andrew and J. W. L. Little

Identification of the forms of boron in seaweed by ^{11}B NMR 209 Y. Chuda, M. Ohnishi-Kameyama and T. Nagata

Defining steric, electronic and conformational requirements of carrier-mediated uptake of abscisic acid in barley suspension culture cells 215 M. Perras, P. A. Rose, E. W. Pass, K. B. Chatson, J. J. Balsevich and S. R. Abrams

An oxidized tartaric acid residue as a new bridge potentially competing with acetaldehyde in flavan-3-ol condensation 223 H. Fulcrand, V. Cheynier, J. Oszmianski and M. Moutounet

(+)-Catechin–acetaldehyde condensation products in relation to wine-ageing 229 C. Saucier, C. Guerra, I. Pianet, M. Laguerre and Y. Glories

Effect of a tertiary amine on alkaloid accumulation in *Catharanthus roseus* 235 M.-P. Bonzom, C. Andary, A. Gueiffier, J.-L. Roussel and A. Gargadennec

Ecological Biochemistry

Volatile compounds from extracts of *Ficus carica* 241 M. Gibernau, H. R. Buser, J. E. Frey and M. Hossaert-McKey

The effect of isosakuranetin (5,7-dihydroxy 4′-methoxy flavanone) on potassium uptake in wheat root segments 245 S. Sacco and M. Maffei

Toxic amines and alkaloids from *Acacia berlandieri* 249 B. A. Clement, C. M. Goff and T. D. A. Forbes

Glycosidase-inhibiting pyrrolidine alkaloids from *Hyacinthoides non-scripta* 255 A. A. Watson, R. J. Nash, M. R. Wormald, D. J. Harvey, S. Dealler, E. Lees, N. Asano, H. Kizu, A. Kato, R. C. Griffiths, A. J. Cairns and G. W. J. Fleet

Biosynthesis

Reduction of anthranilic acid and related amino acids in fruit-bodies of *Hebeloma sacchariolens* 261 F von Nussbaum, W. Spahl and W. Steglich

Glycerolipid synthesis by microsomal fractions from *Olea europaea* fruits and tissue cultures 265 A. J. Rutter, J. Sanchez and J. L. Harwood

Cell Culture and Biotechnology

Digitalis obscura cardenolides. Effect of macronutrient concentration and N source on growth and productivity of shoot-tip cultures 273 I. Gavidia and P. Pérez-Bermúdez

Production of tannic acid by *Rhus javanica* cell cultures 279 S. Taniguchi, S. Takeda, R. Yabu-Uchi, T. Yoshida and K. Yazaki

Anthocyanin-producing dandelion callus as a chalcone synthase source in recombinant polyketide reductase assay 283 T. Akashi, N. Saito, H. Hirota and S. Ayabe

Chemotaxonomy

Lipopolysaccharides from three phytopathogenic pseudomonads — 289 M. M. Corsaro, C. de Castro, A. Evidente, R. Lanzetta, P. LaVermicocca, A. Molinaro, A. Sisto, M. Parrilli and G. Surico

Butenolides from *Marchantia paleacea* subspecies *diptera* — 293 M. Toyota, M. Konoshima, F. Nagashima, S. Hirata and Y. Asakawa

Bioactive Plant Products

Tricycloalternarenes produced by *Alternaria alternata* related to ACTG-toxins — 297 B. Liebermann, R. Ellinger, W. Günther, W. Ihn and H. Gallander

Plant Chemistry

Iridoids from *Tocoyena formosa* — 305 V. D. S. Bolzani, C. M. Izumisawa, M. C. M. Young, L. M. V. Trevisan, D. G. I. Kingston and A. L. Gunatilaka

Sesquiterpenes from *Rzedowskia tolantonguensis* — 309 A. G. González, I. L. Bazzocchi, A. G. Ravelo and I. A. Jiménez

Metabolites of *Pestalotiopsis* spp., endophytic fungi of *Taxus brevifolia* — 313 M. Pulici, F. Sugawara, H. Koshino, G. Okada, Y. Esumi, J. Uzawa and S. Yoshida

Acetogenins from the bark of *Uvaria pauci-ovulata* — 321 S. Raynaud, C. Fourneau, R. Hocquemiller, T. Sévenet, H. A. Hadi and A. Cavé

Mono-tetrahydrofuran ring acetogenins from *Goniothalamus donnaiensis* — 327 Z. Jiang, Y. Chen, R.-Y. Chen and D.-Q. Yu

Acylated C-21 steroidal bisdesmosidic glycosides from *Caraluma umbellata* — 333 S.-X. Qiu, L.-Z. Lin, G. A. Cordell, M. Ramesh, B. R. Kumar, M. Radhakrishna, G. K. Mohan, B. M. Reddy, Y. N. Rao, B. Srinivas, N. S. Thomas and A. V. N. A. Rao

A phloroglucinol derivative from the brown alga *Sargassum spinuligerum* — 341 M. Keusgen, M. Falk, J. A. Walter and K.-W. Glombitza

Ferulic acid esters of unsaturated higher alcohols from *Lupinus luteus* roots — 347 Y. Katagiri, J. Mizutani and S. Tahara

Acylated anthocyanins from leaves of the water lily, *Nymphaèa marliacea* — 353 T. Fossen and Ø. M. Andersen

Flavonol triglycosides from seeds of *Nigella sativa* — 359 I. Merfort, V. Wray, H. H. Barakat, S. A. M. Hussein, M. A. M. Nawwar and G. Willuhn

Alkaloids from seeds of *Lupinus varius* and *L. hartwegii* — 365 M. H. Mohamed and H. A. Hassanean

Short Reports

Iridoid glucosides from *Angelonia integerrima* — 371 G. L. von Poser, S. Damtoft, J. Schripsema, A. T. Henriques and S. R. Jensen

Germacradienolides from *Blainvillea latifolia* — 375 D. D. Sawaikar, S. R. Rojatkar and B. A. Nagasampagi

Cycloartane triterpenoids from *Aglaia harmsiana* 379 A. Inada, S. Ohtsuki, T. Sorano, H. Murata, Y. Inatomi, D. Darnaedi and T. Nakanishi

A coumarin from aerial parts of *Geijera paniculata* 383 A. N. Bissoué, F. Muyard, F. Bévalot, T. G. Hartley, F. Tillequin, J. Vaquette and P. G. Waterman

Dioclenol, a minor flavanonol from the root-bark of *Dioclea grandiflora* 385 J. Bhattacharyya, G. Majetich, P. Spearing and R. N. Almeida

Astragalin 2″,6″-di-*O*-gallate from *Loropetalum chinense* 389 Y. Liu, Y. Wu, K. Yuan, C. Ji, A. Hou, T. Yoshida and T. Okuda

Book Review

Phytochemical diversity and redundancy in ecological interactions 393 J. B. Harborne

Number 3

Graphical Abstracts ix

Review Article Number 121

The biosynthesis and metabolism of the aspartate derived amino acids in higher plants 395 R. A. Azevedo, P. Arruda, W. L. Turner and P. H. Lea

Growth and Metabolism

Laccase activity could contribute to cell-wall reconstitution in regenerating protoplasts 421 A. De Marco and K. A. Roubelakis-Angelakis

Enhancement of the peroxidase-dependent oxidation of DOPA by components of *Vicia* leaves 427 U. Takahama

Fad-dependent epoxidase as a key enzyme in fungal metabolism of prenylated flavonoids 433 M. Tanaka and S. Tahara

Purification and characterization of sucrose-phosphate synthase from *Prosopis juliflora* 441 A. K. Sinha, U. Pathre and P. V. Sane

Isolation, purification and characterization of UDP-glucose: *CIS-p*-coumaric acid-β-D-glucosyltransferase from *Sphagnum fallax* 449 S. Rasmussen and H. Rudolph

Endogenous protein phosphorylation and protein kinase activity in winged bean 455 K. Mukhopadhyay and M. Singh

Purification and characterisation of a protein kinase from winged bean 461 K. Mukhopadhyay

Purification and characterisation of β-cyanoalanine synthase from cassava tissues 469 M. Elias, P. R. Sudhakaran and B. Nambisan

Binding nature and denaturation of protein during interaction with galloylglucose 473 H. Kawamoto, K. Mizutani and F. Nakatsubo

Effects of environmental factors on two-stage tannin-protein co-precipitation 479 H. Kawamoto and F. Nakatsubo

Solubility of protein complexed with galloylglucoses 485 H. Kawamoto and F. Nakatsubo

Changes in the steroidal alkaloid solasodine during development of *Solanum nigrum* and *Solanum incanum* 489 E. A. Eltayeb, A. S. Al-Ansari and J. G. Roddick

Ecological Biochemistry

Multiple modes of insecticidal action of three classes of polyacetylene derivatives from *Rudbeckia hirta* — 495 G. Guillet, B. J. R. Philogène, J. O'Meara, T. Durst and J. T. Arnason

Differential sensitivity of rice pathogens to growth inhibition by flavonoids — 499 M. Padmavati, N. Sakthivel, K. V. Thara and A. R. Reddy

Biosynthesis

Light-induced auxin-inhibiting substance from sunflower seedlings — 503 K. Yokotani-Tomita, J. Kato, S. Kosemura, S. Yamamura, M. Kushima, H. Kakuta and K. Hasegawa

Biosynthesis of pregnane derivatives in somatic embryos of *Digitalis lanata* — 507 P. Lindemann and M. Luckner

Cell Culture and Biotechnology

A sesquiterpene coumarin ether from transformed roots of *Tanacetum parthenium* — 515 W. Kisiel and A. Stojakowska

Efficient production of biologically active diterpenoids by leaf organ culture of *Scoparia dulcis* — 517 T. Hayashi, K. Kasahara and U. Sankawa

Bioactive Plant Products

Cytotoxic flavonoids from *Vitex agnus-castus* — 521 C. Hirobe, Z.-S. Qiao, K. Takeya and H. Itokawa

Pyranoquinoline alkaloids from *Zanthoxylum simulans* — 525 I.-S. Chen, I.-W. Tsai, C.-M. Teng, J.-J. Chen, Y.-L. Chang, F.-N. Ko, M. C. Lu and J. M. Pezzuto

Plant Chemistry

Abietane and icetexane diterpenoids from *Salvia ballotaeflora* and *Salvia axillaris* — 531 B. Esquivel, J. S. Calderón, E. Flores, A.-A. Sánchez and R. R. Rivera

Di- and triterpenoids from *Tripterygium hypoglaucum* — 535 H. Duan, K. Kawazoe, M. Bando, M. Kido and Y. Takaishi

Triterpenes of *Centaurea ptosimopappoides* — 545 S. Öksüz and S. Serin

Triterpenes from *Paliurus hemsleyanus* — 549 S.-S. Lee, S.-N. Shy and K. C. S. Liu

Tetranortriterpenoids from *Azadirachta indica* — 555 C. Y. Ragasa, Z. D. Nacpil, G. M. Natividad, N. Tada, J. C. Coll and J. A. Rideout

Pentacyclic triterpenoid glycosyl esters from *Rubus pileatus* — 559 B.-G. Wang, X.-M. Shen, L. Yang and Z.-J. Jia

Quinones of *Cetraria islandica* — 565 L. S. Stepanenko, O. E. Krivoshchekova, P. S. Dmitrenok and O. B. Maximov

Neolignans from *Caryodaphnopsis baviensis* — 569 N. H. Anh, H. Ripperger, A. Porzel, T. V. Sung and G. Adam

Phenolic metabolites from *Erythrina* species — 573 A. E. Nkengfack, T. W. Vouffo, J. C. Vardamides, J. Kouam, Z. T. Fomum, M. Meyer and O. Sterner

Flavonoids from *Iryanthera sagotiana* — 579 D. H. S. Silva, M. Yoshida and M. J. Kato

Short Reports

A taxoid from *Taxus cuspidata* var. *nana* — 583 H. Morita, L. Wei, A. Gonda, K. Takeya and H. Itokawa

A neo-clerodane diterpenoid from *Scutellaria orientalis* subsp. *pinnatifida* 587 P. Y. Malakov, P. I. Bozov and G. Y. Papanov

An *O*-geranylated isoflavone from *Millettia griffoniana* 591 E. Yankep, Z. T. Fomum and E. Dagne

Book Review

Bioactive natural products – detection, isolation and structural determination 595 T. A. van Beek

Number 4

Graphical Abstracts vii

Review Article Number 122

Phytochemistry of the genus *Piper* 597 V. S. Parmar, S. C. Jain, K. S. Bisht, R. Jain, P. Taneja, A. Jha, O. D. Tyagi, A. K. Prasad, J. Wengel, C. E. Olsen and P. M. Boll

Growth and Metabolism

4-Chloroindole-3-acetic and indole-3-acetic acids in *Pisum sativum* 675 V. Magnus, J. A. Ozga, D. M. Reinecke, G. L. Pierson, T. A. Larue, J. D. Cohen and M. L. Brenner

Xanthohumols, diacylglycerol acyltransferase inhibitors, from *Humulus lupulus* 683 N. Tabata, M. Ito, H. Tomoda and S. Ōmura

Circadian and seasonal variation in the essential oil from *Virola surinamensis* leaves 689 N. P. Lopes, M. J. Kato, E. H. de Aquiar Andrade, J. G. S. Maia and M. Yoshida

Biosynthesis

5-Hydroxyguaiacyl nuclei as aromatic constituents of native lignin 695 S. Suzuki, T. B. T. Lam and K. Iiyama

Cell Culture and Biotechnology

Biotransformation of thebaine by cell cultures of *Papaver somniferum* and *Mahonia nervosa* 701 R. Wilhelm and M. H. Zenk

Plant Chemistry

Three cyclopeptides from *Stellaria delavayi* 709 Y.-R. Zhao, J. Zhou, X.-K. Wang, H.-M. Wu, X.-L. Huang and C. Zou

Arachisprenols: Polyprenols possessing a geranyl residue from *Arachis hypogaea* 715 T. Aoki, K. Matsuo, T. Suga and S. Ohta

Guaianolides and germacradienolides from *Stevia sanquinea* 721 Z. N. J. de Hernández, L. R. Hernández, C. A. N. Catalán, T. E. Gedris and W. Herz

Diterpenes of *Bahia glandulosa* 729 A.-L. Pérez-Castorena, M. Martínez-Vázquez and A. R. de Vivar

Phlorotannins from the brown alga *Cystophora torulosa* 735 K.-W. Glombitza and S. Hauperich

Neolignans from leaves of *Ocotea catharinensis* 741 A. L. L. Lordello and M. Yoshida

Lignoids, flavonoids and polyketides of *Virola surinamensis* 745 E. E. DE ALMEIDA BLUMENTHAL, M. S. DA SILVA and M. YOSHIDA

Carbazole alkaloids from *Murraya koenigii* 751 M. CHAKRABARTY, A. C. NATH, S. KHASNOBIS, M. CHAKRABARTY, Y. KONDA, Y. HARIGAYA and K. KOMIYAMA

Indole alkaloids from *Alstonia macrophylla* 757 N. KEAWPRADUB and P. J. HOUGHTON

Four monoterpene alkaloid derivatives from *Incarvillea sinensis* 763 Y.-M. CHI, F. HASHIMOTO, W.-M. YAN and T. NOHARA

Two new pregnane-type steroidal alkaloids from *Sarcococca saligna* 771 ATTA-UR-RAHMAN, S. ANJUM, A. FAROOQ, M. R. KHAN and M. I. CHOUDHARY

Short Reports

Sesquiterpene lactones from the pericarp of *Illicium dunnianum* 777 J. HUANG, J. WANG and C. YANG

Diterpenoids from *Salvia splendens* 781 D.-P. HU, K. KAWAZOE and Y. TAKAISHI

Lahadinines A and B, new cyano-substituted indole alkaloids from *Kopsia pauciflora* 785 T.-S. KAM and K. YOGANATHAN

Aspidofractinine alkaloids from *Kopsia teoi* 789 T.-S. KAM, K. YOGANATHAN and S.-L. MOK

5-Methyldihydroflavasperone, a dihydronaphthopyran from *Guiera sengalensis* 793 E. H. N MAHMOUD and S. A. KHALID

Benzopyran derivatives from *Werneria nubigena* 795 S. PIACENTE, N. H. HERNANDEZ, F. DE SIMONE, O. L. DE UGAZ and C. PIZZA

Terpenoids and flavonoids from *Salvia cyanescens* 799 G. GÖKDIL, G. TOPCU, U. SÖNMEZ and A. ULUBELEN

Number 5

Graphical Abstracts ix

Growth and Metabolism

Synthesis of cytokinin glucuronides for the selection of transgenic plant cells 801 F. T. OKKELS, J. L. WARD and M. JOERSBO

Design of primers for RAPD analyses of cassava, *Manihot esculenta* 805 H.-L. WONG, H.-H. YEOH, S.-H. LIM and K.-C. L. LOOI

Endogenous gibberellins in foliage of tomato (*Lycopersicon esculentum*) 811 J. M. GRÜNZWEIG, H. D. RABINOWITCH, J. KATAN, M. WODNER and Y. BEN-TAL

Regulation of peanut glutamate dehydrogenase by methionine sulfoximine 817 G. O. OSUJI and W. C. MADU

A survey of plants for presence of cholinesterase activity 827 A. GUPTA and R. GUPTA

Ecological Biochemistry

Sinalexin, a phytoalexin from white mustard elicited by destruxin B and *Alternaria brassicae* 833 M. S. C. PEDRAS and K. C. SMITH

Biologically active clerodane-type diterpene glycosides from the root-stalks of *Dicranopteris pedata* 839 T. AOKI, T. OHRO, Y. HIRAGA, T. SUGA, M. UNO and S. OHTA

Bioactive saturated pyrrolizidine alkaloids from *Heliotropium floridum* 845 M. Reina, A. Gonzalez-Coloma, C. Gutierrez, R. Cabrera, J. Henriquez and L. Villarroel

Biosynthesis

Glycerolipid synthesis by microsomal fractions from fruits and tissue cultures of olives 855 A. J. Rutter, J. Sanchez and J. L. Harwood

Solid state NMR spectroscopy of specifically ^{13}C-enriched lignin in wheat straw from coniferin 863 N. Terashima, R. H. Atalla and D. L. Vanderhart

Cell Culture and Biotechnology

Production of hydroxy fatty acids by cell suspension cultures of the marine brown alga *Laminaria saccharina* 871 G. L. Rorrer, H.-D. Yoo, Y.-M. Huang, C. Hayden and W. H. Gerwick

Chemotaxonomy

Amides and lignanamides from *Porcelia macrocarpa* 879 M. H. Chaves and N. F. Roque

Betaine lipids and zwitterionic phospholipids in plants and fungi 883 K. Künzler and W. Eichenberger

Bioactive Plant Products

Flavan dimers with lipase inhibitory activity from *Cassia nomame* 893 T. Hatano, A. Yamashita, T. Hashimoto, H. Ito, N. Kubo, M. Yoshiyama, S. Shimura, Y. Itoh, T. Okuda and T. Hoshida

Plant Chemistry

Iridoid glucosides from *Viburnum ayavacense* 901 L. Tomassini, S. Foddai, M. Nicoletti, M. F. Cometa, G. Palazzino and C. Galeffi

Iridoids and iridoid glucosides from fruits of *Crescentia cujete* 907 T. Kaneko, K. Ohtani, R. Kasai, K. Yamasaki and N. M. Duc

Ring C-seco limonoids from *Melia toosendan* 911 J.-B. Zhou, Y. Minami, F. Yagi, K. Tadera and M. Nakatani

Phenol derivatives from *Ligularia intermedia* 915 B. Ma, K. Gao, Y.-P. Shi and Z.-J. Jia

Phenolic glucosides from the root of *Pueraria lobata* 921 K. Hirakura, M. Morita, K. Nakajima, K. Sugama, K. Takagi, K. Nitsu, Y. Ikeya, M. Maruno and M. Okada

Reassignment of relative stereochemistry at C-7 and C-8 in arylocoumaran neolignans 929 S. Li, T. Iliefski, K. Lundquist and A. F. A. Wallis

Polyphenolic metabolites of *Epilobium hirsutum* 935 H. H. Barakat, S. A. M. Hussein, M. S. Marzouk, I. Merfort, M. Linscheid and M. A. M. Nawwar

Three flavonol glycosides from leaves of *Myrsine seguinii* 943 X.-N. Zhong, H. Otsuka, T. Ide, E. Hirata, A. Takushi and Y. Takeda

Neoflavonoids from *Dalbergia odorifera* 947 S.-C. Chan, Y.-S. Chang and S.-C. Kuo

Norditerpenoid alkaloids from *Aconitum transsectum* 951 S. Zheng, L. Gao, X. Hao, X. Wang and X. Shen

Short Reports

11-Episcutecyprin a *Neo*-clerodane diterpenoid from *Scutellaria columnae* 955 P. Y. Malakov and G. Y. Papanov

A lanostane-type triterpene from a mushroom *Daedalea dickinsii* 959 H. Kawagishi, H. Li, O. Tanno, S. Inoue, S. Ikeda, M. Ohnishi-Kameyama and T. Nagata

A lanostane-type steroid from the fungus *Ganoderma carnosum* 963 A.-C. Keller, J. Keller, M. P. Maillard and K. Hostettmann

A quinline alkaloid from *Acanthosyris paulo-alvinii* 967 J. P. Chávez, I. D. Dos Santos, F. G. Cruz, J. M. David, S.-W. Yang and G. A. Cordell

Sesquiterpene lactones of three *Heliomeris* species (heliantheae; asteraceae) 969 H. Buschmann and O. Spring

Quinne- and quincine-derived alkaloids from *Guettarda noumeana* 973 A. Montagnac, M. Litaudon and M. Pais

Acylated triterpenoids from *Ligustrum ovalifolium* 977 K. Machida, T. Yamaguchi, K. Kamiya and M. Kikuchi

Book Review

Plant Biochemistry 981 E. G. Brown

Number 6

Graphical Abstracts ix

Growth and Metabolism

Synthesis and biological activities of methyl 3,7- and 4,5-dide-hydrojasmonates 983 H. Kiyota, Y. Yoneta and T. Oritani

Selective binding of plant proteins to Heat-shock protein 70 987 D. H. Wu and D. L. Laidman

Alterations in pea root meristem proteins after butyrate exposure 991 W. A. Tramontano and C. J. Barreiro

Identification of essential amino acids for the catalytic activity of barley β-glucosidase 997 A. Skoubas and J. G. Georgatsos

Metabolism of the potato saponins α-chaconine and α-solanine by *Gibberella pulicaris* 1005 K.-M. Weltring, J. Wessels and R. Geyer

Cell Culture

The formation of veratryl chloride by *Bjerkandera* sp. strain BOS55 1011 H. J. Swarts, T. Mester, F. J. M. Verhagen, J. A. Field and J. B. P. A. Wijnberg

Effect of calcium and cell immobilization on the production of choleocalciferol and its derivatives by *Solanum malacoxylon* cell cultures 1015 T. Aburjai, S. Bernasconi, L. A. Manzocchi and F. Pelizzoni

Diglycosidic metabolites of 24-*epi*-teastrone in cell suspension cultures of *Lycopersicon esculentum* L. 1019 A. Kolbe, A. Porzel, B. Schneider and G. Adam

Diacetoxy-substituted polyacetylenes from *Atractylodes lancea* 1023 M. S. Lehner, A. Steigel and R. Bauder

Three dibenzoylmethane derivatives from *Lonchocarpus* species 1029 A. F. Magalhães, A. M. A. Tozzi, E. G. Magalhães, I. S. Blanco and M. A. Nogueira

Plant Chemistry

Secoiridoids from *Gentiana siphonantha* 1035 R. X. Tan and L. D. Kong

Sesquiterpenoids from *Pallenis spinosa* 1039 G. Appendino, J. Jakupovic and S. Jakupovic

A guaianolide and a germacranolide from *Achillea santolina* 1045 B. A. A. A. Balboul, A. A. Ahmed, H. Otsuka, M. Bando, M. Kido and Y. Takeda

Abietane diterpene acids and other constituents from the leaves of *Larix kaempferi* 1051 R. Tanaka, H. Ohtsu and S. Matsunaga

4′-Dehydroxycabenegrin A-I from roots of *Harpalyce brasiliana* 1059 G. L. D. Silva, F. J. de Abreu Matos and E. R. Silveira

Isofuranonaphthoquinones and phenolic and knipholone derivatives from the roots of *Bulbine capitata* 1063 M. Bezabih, S. Motlhagodi and B. M. Abegaz

Phenanthrenes and bibenzyls from a *Plagiochila* species 1069 H. Anton, L. Kraut, R. Mues and M. I. Morales Z.

Benzofurans, benzofuran dimers and other constituents from *Ophryosporus charua* 1077 M. E. P. de Lampasona, C. A. N. Catalán, T. E. Gedris and W. Herz

Dimethylchromene rotenoids from *Tephrosia candida* 1081 C. C. Andrei, P. C. Vieira, J. B. Fernandes, M. F. Da Silva and E. R. Fo.

Stenocarpine, a diterpenoid alkaloid from *Aconitella stenocarpa* 1087 G. F. Martin and L. R. Mesía

Steroidal alkaloids from roots of *Sarcococca vagans* 1091 Z.-M. Zou, L.-J. Li, M. Yang, S.-S. Yu, P.-Z. Cong and D.-Q. Yu

Short Reports

A new conjugated diene amino acid, D, L-2-amino-3(*cis*), 5-hexadienoic acid, from *Clavulinopsis helvola* 1095 Y. Aoyagi, S. Takasaki, S. Fujihara, A. Kasuga and T. Sugahara

Proceroside, an iridoid glucoside from *Pedicularis procera* 1097 M. J. Schneider, J. C. Green and D. McPeak

Marasmane sesquiterpenes from the basidiomycete *Clitocybe hydrogramma* 1099 A. Arnone, G. Nasini and O. V. de Pava

A benzoquinone from *Cynanchum wilfordii* 1103 H. Yeo and J. Kim

(+)-Neo-olivil from roots of *Urtica dioica* 1107 M. Schöttner, J. Reiner and F. S. K. Tayman

A lignan from the roots of *Taxus mairei* 1111 Y. C. Shen, C. Y. Chen, Y. M. Lin and Y. H. Kuo

Isopentenyl diphosphate isomerase activity in *Lactarius* mushrooms 1115 N. Ohya, Y. Tanaka, K. Ogura and T. Koyama

A β-carboline alkaloid from *Hedyotis chrysotricha* 1119 J.-N. Peng, X.-Z. Feng, Q.-T. Zheng and X.-T. Liang

Alkylamides from pericarps of *Zanthoxylum bungeanum* 1123 Q. Xiong, D. Shi, H. Yamamoto and M. Mizuno

Volatile constituents of leaves, roots and stems from *Aristolochia elegans* 1127 R. Vila, M. Mundina, L. Muschietti, H. A. Priestap, A. L. Bandoni, T. Adzet and S. Cañigueral

Eudesmanolides and other constituents of *Inula thapsoides* 1131 S. Öksüz, G. Topcu, M. Krawiec and W. H. Watson

Triterpenes from *Diospyros maritima* 1135 Y.-H. Kuo, C.-I. Chang and Y.-H. Kuo

Dammarane-type triterpenes from *Cordia spinescens* 1139 N. Nakamura, S. Kojima, Y. A. Lim, M. R. Meselhy, M. Hattori, M. P. Gupta and M. Correa

Steroids of formosan *Ganoderma tsugae* 1143 C.-N. Lin, Y.-F. Fan and M.-I. Chung

Premnethanosides A and B: phenylethanoids from leaves of *Premna subscandens* 1147 H. Sudo, A. Takushi, T. Ide, H. Otsuka, E. Hirata and Y. Takeda

Number 7

Graphical Abstracts ix

Review Article Number 123

Chlorophyll metabolism: From outer space down to the molecular level 1151 W. Rüdiger

Ecological Biochemistry

Headspace analysis of volatile flower scent constituents of bat-pollinated plants 1169 H. J. Bestmann, L. Winkler and O. von Helversen

O-Demehylation of *meso*-dimethyl dihydroguaiaretic acid in *Spodoptera litura* 1173 M. Miyazawa, H. Kasahara and H. Kameoka

Cell Culture and Biotechnology

Optimized isolation procedure for biologically active compounds nimbolide and 28-deoxonimbolide from *Azadirachta indica* leaves 1177 M. S. Nair, S. Gopal and D. Issac

A novel epoxy-triterpene and nortriterpene from callus cultures of *Tripterygium wilfordii* 1179 K. Nakano, Y. Oose and Y. Takaishi

Phytoecdysteroid overproduction in *Polypodium vulgare* porthalli 1183 N. Reixach, J. Irurre-Santilari, F. Camps, E. Melé, J. Messeguer and J. Casas

Modification of sterol concentration in marine microalgae 1189 J. Fábregas, J. Arán, E. D. Morales, T. Lamela and A. Otero

Glucose-conjugation of the flavones of *Psiadia arabica* by *Cunninghamella elegans* 1193 A.-R. S. Ibrahim, A. M. Galal, J. S. Mossa and F. S. El-Feraly

Chemotaxonomy

Secoiridoid glucosides from *Jasminum urophyllum* 1197 Y.-C. Shen and P.-W. Hsieh

Terpenoids from the Japanese liverworts *Jackiella javanica* and *Jungermannia infusca* 1203 F. Nagashima, A. Tamada, N. Fujii and Y. Asakawa

Bioactive Plant Products

Polymorphism of artemisinin from *Artimisia annua* 1209 K.-L. Chan, K.-H. Yuen, H. Takayanagi, S. Janadasa and K.-K. Peh

A succinylanthranilic acid ester and other bioactive constituents of *Jolyna laminarioides* 1215 Atta-Ur-Rahman, M. I. Choudhary, A. Majeed, M. Shabbir, U. Ghani and M. Shameel

Antiandrogenic phenolic constituents from *Dalbergia cochinchinensis* 1219 V. Pathak, O. Shirota, S. Sekita, Y. Hirayama, Y. Hakamata, T. Hayashi, T. Yanagawa and M. Satake

Plant Chemistry

Five tetrahydroisoquinoline-monoterpene glycosides with a disaccharide moiety from *Alangium lamarckii* 1225 A. Itoh, T. Tanahashi and N. Nagakura

10-*O*-Acylated iridoid glucosides from leaves of *Premna subscandens* 1231 H. Sudo, T. Ide, H. Otsuka, E. Hirata, A. Takushi and Y. Takeda

A sesquiterpenoid from *Santalum austrocaledonicum* var. *austrocaledonicum* 1237 T. Alpha, P. Rahariveloманana, J.-P. Bianchini, R. Faure and A. Cambon

Minor sesquiterpene lactones from *Lactuca virosa* 1241 W. Kisiel and B. Barszcz

Sesquiterpene lactones from *Carpesium divaricatum* 1245 D. K. Kim, K. R. Lee and O. P. Zee

Neo-clerodane diterpenes from *Salvia thymoides* 1249 E. Maldonado and A. Ortega

3α-Hydroxy-oleanene type triterpene glycosyl esters from leaves of *Acanthopanax spinosus* 1255 M. Miyakoshi, S. Isoda, H. Sato, Y. Hirai, J. Shoji and Y. Ida

7-Oxodihydrokarounidiol-3-benzoate and other triterpenes from the seeds of cucurbitaceae 1261 T. Akihisa, Y. Kimura, Y. Kasahara, K. Kumaki, S. Thakur and T. Tamura

^{13}C NMR analysis of monodesmosidic saponins from *Gomphrena macrocephala* 1267 M. C. M. Young, A. Potomati, E. P. Chu, M. Haraguchi, M. Yamamoto and T. Kawano

Two prenylated flavanones from *Mundulea suberosa* 1271 E. V. Rao, P. Sridhar and Y. R. Prasad

Flavonoids from *Bidens pilosa* var. *radiata* 1275 J. Wang, H. Yang, Z.-W. Lin and H.-D. Sun

Steroidal alkaloid glycosides from *Solanum suaveolens* 1279 H. Ripperger and A. Porzel

Short Reports

Bisesquiterpenoid from the root of *Lindera strychnifolia* 1283 I. Kuono, A. Hirai, Z.-H. Jiang and T. Tanaka

An unusual prenyl biflavanol from *Tephrosia tepicana* 1285 F. Gómez-Garibay, J. S. Calderón, L. Quijano, O. Téllez, M. del Socorro Olivares and T. Ríos

Hypostrepsilalic acid from a cultured lichen mycobiont of *Stereocaulon japonicum* 1289 H. Miyagawa, M. Yamashita, T. Ueno and N. Hamada

A trioxygenated diprenylated chromenxanthone from *Calophyllum moonii* 1293 H. R. W. Dharmaratne and W. M. N. M. Wijesinghe

A dirhamnopyranoside from *Psacalium megaphyllum* 1297 A.-L. Pérez-Castorena, A. Castro and A. Romo de Vivar

Book Reviews

Chemistry, biological and pharmacological properties of African medicinal plants 1301 J. B. Harbourne

Saponins used in traditional and modern medicine and saponins used in food and agriculture 1301 J. B. Harbourne

Number 8

Graphical Abstracts vii

Growth and Metabolism

Single step isolation of plant RNA 1303 C. Venugopalan and H. C. Kapoor

An acidic xyloglucan from grape skins 1307 J. M. Igartuburu, E. Pando, F. Rodríguez Luis and A. Gil-Serrano

Purification, characterization and kinetic properties of pepper fruit acidic peroxidase 1313 F. Pomar, M. A. Bernal, J. Díaz and F. Merino

Carica papaya latex is a rich source of a class II chitinase 1319 M. Azarkan, A. Amrani, M. Nijs, A. Vandermeers, S. Zerhouni, N. Smolders and Y. Looze

A critical histidine residue in arginase from *Phaseolus vulgaris* 1327 N. Carvajal, S. Enríquez, M. Salas and E. Uribe

Trehalose, an extreme temperature protector of phosphoenolpyruvate carboxylase from the C_4-plant *Cynadon dactylon* 1331 G. Salahas, B. Peslis, C. D. Georgiou and N. A. Gavalas

Fructose 1,6-bisphosphate aldolase activity in leaves of a rice mutant selected for enhanced lysine 1335 G. W. Schaeffer, F. T. Sharpe and R. C. Sicher

Polar lipids and net photosynthesis potential of subarctic *Diapensia lapponica* 1339 P. Sewón, H. Mikola, T. Lehtinen and P. Kallio

Ecological Biochemistry

Chrysin and other leaf exudate flavonoids in the genus *Pelargonium* 1349 C. A. Williams, J. B. Harborne, M. Newman, J. Greenham and J. Eagles

Cell Culture and Biotechnology

Biotransformation of β-thujaplicin by cultured cells of *Eucalyptus perriniana* 1355 T. Furuya, Y. Asada, Y. Matsuura, S. Mizobata and H. Hamada

Biotransformations of protoberberines in cell cultures of *Dicentra spectablis* 1359 K. Iwasa and C. W. Kim

Chemotaxonomy

Essential oils of *Otacanthus* 1365 A. Ronse, H. de Pooter and M. de Proft

Sesquiterpene lactones and flavanones in *Scalesia* species 1369 O. Spring, N. Heil and B. Vogler

Plant Chemistry

A 2-acylcyclohexane-1,3-dione from *Virola oleifera* 1375 N. R. Azevedo, S. C. Santos, E. G. de Miranda and P. H. Ferri

Isolation and structure elucidation of minor carotenoids from annatto (*Bixa orellana* L.) seeds 1379 A. Z. Mercadante, A. Steck and H. Pfander

Benzopyranones and ferulic acid derivatives from *Antidesma membranaceum* 1385 A. Buske, J. Schmidt, A. Porzel and G. Adam

Prenylated C_6-C_3 compounds from root bark of *Illicium anisatum* 1389 I. Kouno, S. Shimamoto, Z.-H. Jiang and T. Tanaka

Coumarins from *Nassauvia cumingii* 1393 M. Hoeneisen, M. Silva and J. Jakupovic

A polyphenolic pigment from black tea 1397 A. L. Davis, J. R. Lewis, Y. Cai, C. Powell, A. P. Davis, J. P. G. Wilkins, P. Pudney and M. N. Clifford

Pseudofuhalols from the brown alga *Sargassum spinuligerum* 1403 M. Keusgen and K.-W. Glombitza

Fucophlorethols from the brown algae *Sargassum spinuligerum* and *Cystophora torulosa* 1417 K.-W. Glombitza, M. Keusgen and S. Hauperich

Prenylated xanthonoids from *Calophyllum apetalum* 1423 M. Iinuma, T. Ito, H. Tosa, T. Tanaka, R. Miyake and V. Chelladurai

Flavonoids from the root and stem of *Sophora tomentosa* 1431 T. Tanaka, M. Iinuma, F. Asai, M. Ohyama and C. L. Burandt

Alkaloids of *Erythroxylum lucidum* stem-bark 1439 A. Brachet, O. Muñoz, M. Gupta, J.-L. Veuthey and P. Christen

Benzophenanthridine alkaloids from *Zanthoxylum rhoifolium* 1443 N. F. de Moura, H. B. Ribeiro, E. C. S. Machado, E. M. Ether, N. Zanatta and A. F. Morel

Short Reports

Two acetogenins from *Hemsleya ellipsoidea* 1447 Y. Hano, Y.-Q. Shi, T. Nomura, P.-Q. Yang and W.-J. Chang

Tannins from *Albizia lebbek* 1451 Y.-T. Ma, S.-C. Hsiao, H.-F. Chen and F.-L. Hsu

Announcement 1